

SimpleSAMLphp


Configuración del IdP



config.php



saml20-idp-hosted.php



XXXX



lib




Auth



Source



Process



authsources.php



saml20-sp-remote.php



SimpleSAMLphp


Autenticación



config.php



saml20-idp-hosted.php



XXXX



lib



Auth



Source




Process



enable



default-enable



authsources.php



saml20-sp-remote.php

SimpleSAMLphp

Atributos (ideal)



config.php



saml20-idp-hosted.php



XXXX




Auth



enable



default-enable



authsources.php





saml20-sp-remote.php



Source




Process




SimpleSAMLphp


Atributos (real)



config.php



saml20-idp-hosted.php



XXXX




Auth



enable




default-enable



authsources.php




saml20-sp-remote.php



SimpleSAMLphp


Ejemplo: LDAP



authsources.php

config

'ldap:LDAP'




SimpleSAMLphp


Ejemplo: LDAP

config

metadata



saml20-idp-hosted.php



authsources.php


'auth' =>



SimpleSAMLphp

Ejemplo: LDAP

config




authsources.php


'attributes' => array(...)

SimpleSAMLphp

Ejemplo: LDAP



config.php




```
'authproc.idp' => array(
```

...

```
50 => 'core:AttributeLimit'
```



AttributeLimit.php




SimpleSAMLphp

Ejemplo: LDAP

metadata


'attributes' => array(...)



saml20-sp-remote.php

SimpleSAMLphp

Ejemplo: LDAP




saml20-idp-hosted.php

'attributes' => array(...)

SimpleSAMLphp

Depurando

config




config.php

```
'debug' => true,
```

...

```
'logging.level' => SimpleSAML_Logger::DEBUG,
```




`simplesamlphp.log`

Filter config for ...

SimpleSAMLphp

Depurando



SimpleSAML_Logger::debug(...);

'debug' => true,

...

'logging.level' => SimpleSAML_Logger::DEBUG,